



Superior performance from a lightweight steel roofing system that adds dynamic curb appeal to any building or home along with outstanding fire, wind and hail resistance.



Roser Cleo Tile in Vista Cotta

www.Roser-USA.com

Proven worldwide for over 40 years, Roser stone coated steel roofing systems provide unmatched performance and durability against the toughest elements nature has to offer. Zincalume coated 26-gauge steel provides the base for all Roser produced components to weather the storm.



- ISO 9001 certified for consistent manufacturing and quality assurance
- Class “A” fire resistant material, interlocking panels protect against wind blown embers penetrating roof and deck areas, unlike some other Class “A” roofing materials.
- 50-year limited warranty, non pro-rated for first 20 years and transferable
- 1 ½# per square foot install weight eliminates structural concerns
- Impact resistant steel base, Class 4 rated, the highest available per UL-2218 testing protocols



Mission Red



Roser Cleo Barrel Tile

2 1/2" tall, stamped Roman Barrel style profile available in architecturally pleasing shades for outstanding appearance on virtually any structure due to lightweight design with interlocking panels that provide superior wind resistance.



Charcoal



Profiles adapt for either direct to deck or batten installation for maximum design flexibility

Stonewood Cedar Shake



Stonewood Shake

Available in blended, aged wood hues for natural appearance and irregular texture with added shadow lines for depth and a heavyweight look. Stonewood Shake installs in either direction and our horizontal fastening system increases wind uplift resistance.




Weathered Timber Shake



Piano Shingle



- Heavy laminated shingle looks without the weight of asphalt composition shingles
- Roof over most existing materials
- Class 4 Impact resistance
- Direct to deck or batten installation
- 20 panels/square
- No curling, cupping or splits with our steel shingle panels



Energy Efficient AVS

Batten style installation creates significant above sheathing ventilation (AVS) to minimize heat gain into the attic area and corrects the sagging roof effect caused by some heavy roofing products. Roof over most existing materials with a batten grid system that is ideal for steep pitch applications. Horizontal fasteners allow easy panel replacement when needed and add to wind uplift resistance.



Shadowood Shake



Mission Gold Tile



Birch Shake



Vista Cotta Tile



Charcoal Tile



888-558-6167
www.Roser-USA.com

Cleo Barrel Tile

Stonewood Shake

